



Steel Carrier

CDKS070


Structure



End Bracket




Carrier Link




$$\left[L = \frac{LS}{2} + N \right]$$

- **LS** : Total Machine Travel
- **L** : Length
- **N** : Safety Length+rrr
- **P** : Pitch
- **R** : Radius
- **H** : Height
- **F/EB** : Fixed Bracket
- **M/EB** : Moving Bracket

Section A-A



Divider



Separator : Ø4 (Aluminum)

Specification

TYPE	W mm (inch)	Radius mm (inch)	Pitch mm (inch)	Height mm (inch)	N mm (inch)	DVDR (ea)	1m (kg)	EB Set (kg)
CDKS070	60 (2.362)	75 (2.953)	70 (2.756)	200 (7.874)	446 (17.559)	0	5.291	0.760
	80 (3.150)					1	5.355	
	100 (3.937)				493 (19.409)	1	5.411	
	125 (4.921)	125 (4.921)		300 (11.811)	603 (23.740)	2	5.486	
	150 (5.905)					2	5.553	
	200 (7.874)				665 (26.181)	2	5.685	
	250 (9.843)	200 (7.874)		450 (17.716)	838 (32.992)	3	5.838	
	300 (11.811)					3	5.951	



* Width 주문에 따라 제작가능 / Width can make to order

(1inch = 25.4mm)


Steel Carrier

CDKS095


Structure



End Bracket




Carrier Link




$$\left[L = \frac{LS}{2} + N \right]$$

- **LS** : Total Machine Travel
- **L** : Length
- **N** : Safety Length+rrr
- **P** : Pitch
- **R** : Radius
- **H** : Height
- **F/EB** : Fixed Bracket
- **M/EB** : Moving Bracket

Section A-A



Divider



Separator : Ø6 (Aluminum)

Specification



TYPE	W mm (inch)	Radius mm (inch)	Pitch mm (inch)	Height mm (inch)	N mm (inch)	DVDR (ea)	1m (kg)	EB Set (kg)
CDKS095	100 (3.937)	125 (4.921)	95 (3.740)	320 (12.598)	678 (26.693)	1	7.90	1.286
	150 (5.905)	145 (5.709)		360 (14.173)	740 (29.134)	2	8.17	
	200 (7.874)	200 (7.874)		470 (18.504)	913 (35.945)	2	8.38	
	250 (9.843)	250 (9.843)		570 (22.441)	1,070 (42.126)	3	8.64	
	300 (11.811)	300 (11.811)		670 (26.378)	1,227 (48.307)	3	8.86	
	350 (13.779)	400 (15.748)		870 (34.252)	1,541 (60.669)	4	9.12	
	400 (15.748)	400 (15.748)				4	9.33	

* Width 주문에 따라 제작가능 / Width can make to order (1inch = 25.4mm)


Steel Carrier

CDKS125


Structure



End Bracket




Carrier Link




$$\left[L = \frac{LS}{2} + N \right]$$

- **LS** : Total Machine Travel
- **L** : Length
- **N** : Safety Length+rrr
- **P** : Pitch
- **R** : Radius
- **H** : Height
- **F/EB** : Fixed Bracket
- **M/EB** : Moving Bracket

Section A-A



Divider



Separator : Ø8 (Aluminum)

Specification

TYPE	W mm (inch)	Radius mm (inch)	Pitch mm (inch)	Height mm (inch)	N mm (inch)	DVDR (ea)	1m (kg)	EB Set (kg)	
CDKS125	100 (3.937)	200 (7.874)	125 (4.921)	496 (19.528)	1,003 (39.488)	1	14.97	3.170	
	125 (4.921)					2	15.14		
	150 (5.905)	250 (9.843)		596 (23.465)	1,160 (45.669)	2	15.31		
	200 (7.874)					2	15.54		
	250 (9.843)	300 (11.811)		696 (27.402)	1,317 (51.850)	3	15.88		
	300 (11.811)					3	16.11		
	350 (13.779)	400 (15.748)		896 (35.276)	1,631 (64.212)	4	16.45		
	400 (15.748)					4	16.68		



* Width 주문에 따라 제작가능 / Width can make to order

(1inch = 25.4mm)


Steel Carrier

CDKS130

Structure




End Bracket



[Fixed Bracket (F/EB)]

[Moving Bracket (M/EB)]


Carrier Link




$$\left[L = \frac{LS}{2} + N \right]$$

- **LS** : Total Machine Travel
- **L** : Length
- **N** : Safety Length+rrr
- **P** : Pitch
- **R** : Radius
- **H** : Height
- **F/EB** : Fixed Bracket
- **M/EB** : Moving Bracket

Section A-A



Divider



Separator : Ø8 (Aluminum)

Specification

TYPE	W mm (inch)	Radius mm (inch)	Pitch mm (inch)	Height mm (inch)	N mm (inch)	DVDR (ea)	1m (kg)	EB Set (kg)
CDKS130	100 (3.937)	200 (7.874)	130 (5.118)	496 (19.528)	1,018 (40.079)	1	14.4	3.170
	125 (4.921)					2	14.56	
	150 (5.905)	250 (9.843)		596 (23.465)	1,175 (46.260)	2	14.72	
	200 (7.874)					2	14.95	
	250 (9.843)	300 (11.811)		696 (27.402)	1,332 (52.441)	3	15.27	
	300 (11.811)					3	15.49	
	350 (13.779)	400 (15.748)		896 (35.276)	1,646 (64.803)	4	15.81	
	400 (15.748)					4	16.04	
		500 (19.69)			1,096 (43.149)	1,960 (77.17)		


* Width 주문에 따라 제작가능 / Width can make to order

(1inch = 25.4mm)


Steel Carrier

CDKS180


Structure




End Bracket




Carrier Link



Section A-A



Divider



Separator : Ø8 (Aluminum)

Specification

TYPE	W mm (inch)	Radius mm (inch)	Pitch mm (inch)	Height mm (inch)	N mm (inch)	DVDR (ea)	1m (kg)	EB Set (kg)
CDKS180	300 (11.811)	250 (9.842)	180 (7.087)	640 (25.197)	1,325 (52.165)	3	21.721	6.72
	400 (15.748)	300 (11.811)		740 (29.134)	1,482 (58.346)	4	22.212	
	500 (19.685)	400 (15.748)		940 (37.008)	1,796 (70.709)	5	22.622	
	600 (23.622)	500 (19.685)		1,140 (44.882)	2,110 (83.071)	6	23.032	
	700 (27.559)	600 (23.622)		1,340 (52.756)	2,424 (95.433)	7	23.442	
		700 (27.559)		1,540 (60.63)	2,738 (107.795)			



* Width 주문에 따라 제작가능 / Width can make to order

(1inch = 25.4mm)


Steel Carrier

CDKS250


Structure



End Bracket




Carrier Link




$$L = \frac{LS}{2} + N$$

- **LS** : Total Machine Travel
- **L** : Length
- **N** : Safety Length+rr
- **P** : Pitch
- **R** : Radius
- **H** : Height
- **F/EB** : Fixed Bracket
- **M/EB** : Moving Bracket

Section A-A



Divider



Separator : Ø8 (Aluminum)

Specification

TYPE	W mm (inch)	Radius mm (inch)	Pitch mm (inch)	Height mm (inch)	N mm (inch)	DVDR (ea) D1/D2	1m (kg)	EB Set (kg)
CDKS250	300 (11.811)	350 (13.780)	250 (9.842)	920 (36.221)	1,325 (52.165)	3/3	34.20	6.72
	400 (15.748)	450 (17.717)		1,120 (44.095)	1,482 (58.346)	4/4	34.66	
	500 (19.685)	600 (23.622)		1,420 (55.906)	1,796 (70.709)	5/5	35.12	
	600 (23.622)	750 (29.528)		1,720 (67.717)	2,110 (83.071)	5/5	35.58	
	700 (27.559)	1,000 (39.370)		2,220 (87.402)	2,424 (95.342)	5/5	36.04	
		1,250 (49.213)		2,720 (107.087)	2,738 (107.795)	5/5		

* Width 주문에 따라 제작가능 / Width can make to order

(1inch = 25.4mm)